IN THE CLAIMS

For the convenience of the Examiner, all claims have been presented whether or not an amendment has been made.

1. (Currently Amended) A method for management and configuration of remote agents, comprising:

providing at least one web service;

providing an agent metadata service on each of a plurality of remote agents, each agent metadata service operable to retrieve agent metadata residing on the remote agent based on one or more detection parameters;

receiving, by the at least one web service, the agent metadata from the plurality of remote agents; and

detecting, by the at least one web service, at least one remote agent on a network by retrieving agent metadata from a plurality of network devices based on one or more detection parameters the agent metadata; and

performing at least one of managing and configuring the at least one remote agent based on the at least one web service.

- 2. (Previously Presented) The method of claim 1, wherein the at least one remote agent comprises a web service based management interface, wherein the web service based management interface allows a manager to remotely examine and configure the at least one remote agent.
- 3. (Previously Presented) The method of claim 2 wherein the manager remotely examines and configures the at least one remote agent through a central management console.
- 4. (Previously Presented) The method of claim 1, wherein the at least one remote agent is configured to run across a firewall, a proxy server, and/or a virtual private network.

5. (Currently Amended) A system for management and configuration of remote agents, comprising:

at least one remote agent <u>having an agent metadata service operable to retrieve</u>

<u>agent metadata residing on the remote agent based on one or more detection</u>

<u>parameters</u>;

at least one web service for <u>receiving the agent metadata from the at least one</u>
<u>remote agent and for detecting the</u> at least one remote agent on a network by retrieving
<u>agent metadata from a plurality of network devices</u> based on one or more detection
<u>parameters the agent metadata</u>; and

a manager for performing at least one of managing and configuring at least one remote agent based on the at least one web service.

- 6. (Previously Presented) The system of claim 5, wherein the at least one remote agent comprises a web service based management interface, wherein the web service based management interface allows a manager to remotely examine and configure the at least one remote agent.
- 7. (Previously Presented) The system of claim 6, wherein the manager remotely examines and configures the at least one remote agent through a central management console.
- 8. (Previously Presented) The system of claim 5, wherein the at least one remote agent is configured to run across a firewall, a proxy server, and/or a virtual private network.

9. (Currently Amended) A computer readable storage medium including computer executable code for management and configuration of remote agents, comprising: code for providing at least one web service;

code for providing an agent metadata service on each of a plurality of remote agents, each agent metadata service operable to retrieve agent metadata residing on the remote agent based on one or more detection parameters;

code for receiving, by the at least one web service, the agent metadata from the plurality of remote agents; and

code for detecting, by the at least one web service, at least one remote agent on a network by retrieving agent metadata from a plurality of network devices based on one or more detection parameters the agent metadata; and

code for performing at least one of managing and configuring the at least one remote agent based on at least one web service.

- 10. (Previously Presented) The computer readable storage medium of claim 9, wherein the at least one remote agent comprises a web service based management interface, wherein the web service based management interface allows a manager to remotely examine and configure the at least one remote agent.
- 11. (Previously Presented) The computer readable storage medium of claim 10, wherein the manager remotely examines and configures the at least one remote agent through a central management console.
- 12. (Previously Presented) The computer readable storage medium of claim 9, wherein the at least one remote agent is configured to run across a firewall, a proxy server, and/or a virtual private network.
- 13. (Currently Amended) The method of claim 1, further comprising receiving at least one **unsolicited** alert notification from the at least one remote agent, the at least one alert notification comprising an indication of a change to the at least one remote agent.

- 14. (Currently Amended) The system of claim 5, further comprising a notification manager for receiving at least one **unsolicited** alert notification from the at least one remote agent, the at least one alert notification comprising an indication of a change to the at least one remote agent.
- 15. (Currently Amended) The computer readable storage medium of claim 9, further comprising code for receiving at least one <u>unsolicited</u> alert notification from the at least one remote agent, the at least one alert notification comprising an indication of a change to the at least one remote agent.